

(19)

Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 930 593 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
21.07.1999 Bulletin 1999/29

(51) Int. Cl.⁶: G08B 5/22

(21) Application number: 99201245.0

(22) Date of filing: 21.09.1995

(84) Designated Contracting States:
DE FR GB

(30) Priority: 27.09.1994 US 313545

(62) Document number(s) of the earlier application(s) in
accordance with Art. 76 EPC:
95306664.4 / 0 704 827

(71) Applicants:

- SONY CORPORATION
Tokyo 141 (JP)
- SONY ELECTRONICS INC.
Park Ridge, New Jersey 07656 (US)
- GENERAL MAGIC, INC.
Sunnyvale, California 94086 (US)

(72) Inventors:

- Gruzen, Alexander
Redwood City, California 94062 (US)
- Onosaka, Kazunobu
Edogawa-ku, Tokyo 134 (JP)

- Mugura, Kazuto
Cupertino, California 95014 (US)
- Fujii, Toshiya
Ota-ku, Tokyo 143 (JP)
- Libes, Michael
Seattle, Washington 98119 (US)
- Adams, Williams
Seattle, Washington 98119 (US)
- Lynch, Kevin
San Francisco, California 94109 (US)
- Tsuk, Robert
Cupertino, California 95014 (US)

(74) Representative:

Cotter, Ivan John et al
D. YOUNG & CO.
21 New Fetter Lane
London EC4A 1DA (GB)

Remarks:

This application was filed on 19 - 04 - 1999 as a
divisional application to the application mentioned
under INID code 62.

(54) Paging

(57) A small portable computing device (110), such as a personal digital assistant (PDA), is provided with a paging capability to assist the user of the PDA in receiving and responding to pages. One feature is the automated look-up of a telephone number received as a paged message to provide the user of the PDA with the name of the sender of the page, the telephone number of the sender and a telephone icon which, when selected by the user, will cause the PDA to dial the telephone number identified by the paging message. The device is also capable of receiving messages in a predetermined format which identifies the name of the caller as well as an alphanumeric message. The paging mechanism is also used to notify the user of electronic mail which has arrived into the user's mailbox located on an electronic mail system. In addition, when the device is in a powered down state, the pager card, upon receipt of a paging message that electronic mail has been sent to the user, wakes up the powered down computing device. The computing device responds by dialling up the electronic mail provider and retrieving the

electronic mail message. In addition, an innovative memory allocation technique is used.




Figure 1